



GstarCAD8

***Installation and Activation
Guide***

Contents

GstarCAD8 Installation and Activation	3
Installation	3
Activation (Software-encryption)	5
Stand-alone (Flexnet) Activation	5
How to Return the License.....	9
Network (Flexnet) Activation	12
How to Borrow and Return License Online	22
How to Return License Online	24
How to Return Network License	25
Activation (Hardware-encryption)	27
Stand-alone (USB Dongle) Activation	27
Network (USB Dongle) Activation.....	28

GstarCAD8 Installation and Activation

Installation

Users can visit www.gstarcad.net to download GstarCAD8 to your computer or server.

GstarCAD8 installshield wizard will guide the user to complete successfully the installation of the software in the operating system. GstarCAD8 standard and professional versions are not the same. The software will automatically distinguish according to the user when registering dongle or serial number. The installation steps are as follow:

- 1.- Double-click the executable file downloaded and the "Gstarcad-InstallShield Wizard" dialog box will pop up. Click the **"Next"** button to continue the installation. See figure 1-1.
- 2.- The "License Agreement" dialog box is displayed. If you agree, check "I accept the terms of license agreement" and click the **"Next"** button to continue the installation. See figure 1-2.



Figure 1-1




Figure 1-2

- 3.- The "User Information" dialog box pops up, enter your user information and click the **"Next"** .See Figure 1-3.

- 4.- Then choose the destination path where setup will install the files and click the **"Next"** button. See Figure 1-4.



Figure 1-3



Figure 1-4

5.- Then "The install option" dialog box pops up, you can choose between uncheck or check the VBA option. To continue with the installation just click the "Next" button. See figure 1-5.

6.- Then the wizard is ready to begin the program installation. If you want to review or change any of your installation settings just click the "Back" button. Click the "Install" button to continue with the installation. See figure 1-6.

7.- Then "The GstarCAD wizard complete" dialog box pops up. The GstarCAD wizard has successfully installed the program. Click the "Finish" button to exit the wizard. See figure 1-7.



Figure 1-5



Figure 1-6



Figure 1-7

Activation (Software-encryption)


Stand-alone (Flexnet) Activation

1. Double click the icon of GstarCAD8  you will see the interface as below:




2. We provide 30 days to trial, also you can select a **GstarCAD Version** according to your need then **click activate** to get a permanent license.


3. Select **Stand-alone Software-encryption (Flexnet)** and click **Next** to open **Activation** window.




4. At **Step1 of Activation** window, enter **Serial Number** which is provided to you when you purchase GstarCAD8 then click **Generate** to generate **Application File**.




5. Save it with a file name consisting of the **Serial Number** with ".xml" extension, e.g: **D601-DD07-0000-0100-201A-5A00-0000-0400.xml**




6. Click **OK** to finish the Step1.



7. Send the generated **Application File D601-DD07-0000-0100-201A-5A00-0000-0400.xml** to your local distributor from whom you purchase GstarCAD and you will receive an **Activation File** correspondingly.



8. After you receive the **Activation File**, reopen the **Activation** window and click **Browser** to select the **Activation File**. The file name of **Activation File** consists of **Serial Number** with "-resp-act.xml" extension, e.g: **D601-DD07-0000-0100-201A-5A00-0000-0400-resp-act.xml**



9. Click **Activate** to apply **Activation File** and activate GstarCAD.

Activation

Step1:
Input Serial Number which you received from your distributor to generate Application File(.xml file)

D601-DD07-0000-0100-201A-5A00-0000-0400

Generate

Step2:
Send Application File generated in Step1 to your distributor by mail to get Activation File. After you receive Activation File from your distributor move to Step3 to activate GstarCAD

Step3:
Input Activation File you received to activate GstarCAD

F:\GSTARCAD 8 BETA\G8\D601-DD07-0000-0100-201A-5A00-0000-0400-resp-act.xml


Browse...

Activate


Exit

How to Return the License


1. You can find the menu in start-all program and click **GstarCAD License Manager**.




2. **GstarCAD License Manager** dialog box will pop up then select the **Serial Number** which you want to return and click **More**.




3. Click **Generate** to get the **Activation Cancel File**.



4. Save the xml file consisting of the same Serial Number with '-return.xml' extension.



5. Send Activation cancel file to your local distributor to get processing file.



6. You will get a processing file from your local distributor in a short time,
e.g: D601-DD07-0000-0100-201A-5A00-0000-0400-resp-return.xml

7. Reopen the return window, click **Browser** to select the **Processing File** and click **Process** to clean the data.

The image shows a software dialog box titled "More" with a close button (X) in the top right corner. It is divided into two main sections: "Return" and "Repair".

Return Section:

- Label: "Return"
- Field: "Fulfillment ID:" with the value "D601-DD07-0000-0100-201A-5A00-0000-0400".
- Button: "Generate" (to the right of the Fulfillment ID field).
- Field: "201A-5A00-0000-0400-resp-return.xml" (below the Fulfillment ID field).
- Button: "Browse..." (to the right of the file field).
- Button: "Process" (to the right of the file field, highlighted with a red rectangular border).

Repair Section:

- Label: "Repair"
- Field: "Fulfillment ID:" (empty).
- Button: "Generate" (to the right of the empty Fulfillment ID field).
- Field: (empty)
- Button: "Browse..." (to the right of the empty field).
- Button: "Process" (to the right of the empty field).

Bottom Section:

- Button: "OK" (centered at the bottom).

8. Please note that **processing file "-resp-return.xml"** is for clearing the registration information in the workstation which you returned the license. If you want to transfer your license right to another workstation, please generate a new **Application File ".xml"** and send to us. You will see in the license manager the status is disabled.

Network (Flexnet) Activation

Network Encryption System enables you to share a number of GstarCAD licenses on your office LAN. It gives flexibility of license floating among a working group. Before the network installation, the following confirmation is required:


1. Information of product you want to purchase, including version language, version type (standard or professional) and the quantity of licenses
2. Specify server computer to install and execute GStarLMS.exe.

Server Setting and Activation

1. When running **GStarLMS** on the specified server computer, the following window opens, Click **Next** to specify the installation directory of **GStarLMS**.



2. Click **Install** after specifying the directory and start installing **GStarLMS**.



3. After the installation is finished, a utility program group called "GstarCAD Network License Manager (server)" is added Windows Programs in which you will find:




License Manger (server): Managing the list of licenses on the server computer.

LMTools: A tool which is used to manage license server for network.


Uninstall: Uninstall program

Click **License Manager (Server)** to set license server:


4. Click to run **License Manager (Server)**




5. Click **Activation**, the following window will pop up:



6. Enter **Network License Serial Number** which is provided to you when you purchase GstarCAD8, and the quantity of License you purchased, then click **Generate** to generate **Application File** with a file name consists of the **Network License Serial Number** and “.xml” extension (e.g: **A701-DD07-0000-0100-3695-2901-0000-0400.xml**)



7. Click **Save** to save the generated **Application File** and send the file by e-mail to your distributor from whom you purchase GstarCAD, and you will receive an **Activation File** correspondingly. (e.g: **A701-DD07-0000-0100-3695-2901-0000-0400-resp-svr-act.xml**).



8. After you receive the **Activation File**, restart Activate window and click **Browser** to apply the **Activation File**.

The screenshot shows the 'Activation' dialog box with three steps. Step 1: 'Input Serial Number which you received from your distributor to generate Application File(xml file)'. The text box contains 'A701-DD07-0000-0100-3695-2901-0000-0400' and the 'Generate' button is visible. Step 2: 'Send Application File generated in Step1 to your distributor by mail to get Activation File. After you receive Activation File from your distributor move to Step3 to activate GstarCAD'. Step 3: 'Input Activation File you received to activate GstarCAD'. The text box is empty, and the 'Browse...' button is highlighted with a red box. At the bottom, 'Activate' and 'Exit' buttons are visible.

9. Click **"Activate"** to finish, then you can check the product information from **"GstarCAD License Manager"**


The screenshot shows the 'Activation' dialog box with Step 3. The text box now contains the file path 'D:\network license\A701-DD07-0000-0100-3695-2901-0000-0400-resp-svr-act.xml' and the 'Activate' button is highlighted with a red box. The 'Exit' button is also visible.

The screenshot shows the 'GstarCAD License Manager (server 1.1)' window. It contains a table with the following data:


Product/Edition/Language	Serial Number	Fulfillment...	Status	Quanti...	Expiration...	Fulfillme...	Trust flag
GstarCAD Pro/8/ENG	A701-DD07-0000-0100-3695-2901-0000-04...	Publisher A...	Enabled	5	permanent	A701-D...	Fully Trusted

At the bottom of the window, there are buttons for 'Activation', 'SetPort', 'Return/Repair', and 'OK'.




- Proceed to set **LMTOOLS** (This utility can only be set by Administrator)
Run **LMTools**, In Service/License File tab, select **Configuration using Services** option.






- Click the tab of **Config Services**:
Enter a name for server in blank space of **Service Name**. For example: GstarCAD Sever 1.






12. Input **lmgrd.exe** in blank space of "Path to the lmgrd.exe file"




13. Input **LicFile.lic** in blank space of "Path to the license file"




14. Input **Liclog.log** in blank space of "Path to the license file"




15. Through the above settings, select **User Services** and **Start Server at Power Up**.



16. Click **Save Service** save above settings.



17. Click **Start/Stop/Reread** to manage the server.



Note: you can start server either manually or automatically, it is to select Start/Stop/Reread option to control the server, or control sever automatically by select User Services and Start Server at Power Up when start the computer.


Client Setting

After the setting of server, you have connected server to user client in order to activate GstarCAD8 from user client machine.


1. After finishing the installation of GstarCAD8 on user client machine, start GstarCAD8, **Welcome to GstarCAD** window pops up automatically, **Select a version** and click **Activate**.



2. A **GstarCAD Register** window will pop up, click **Next** after selecting **Network Software-encryption(Flexnet)**.



3. Specify server IP address at **Server IP Address** window.



4. Click **OK** button to activate GstarCAD.

4. Input the **Network license Serial Number** in the space blank of Network license Serial Number: (A701-DD07-0000-0100-3695-2901-0000-0400) , the same one with the sever.

IP or Server Name: input the server IP address (like 192.168.0.88)

Expiration Data: Date to borrow and return, you just only need to fill in the date you return because it is counted from the date when you borrow Click.

Click **Borrow**. Restart GstarCAD8 and do not access to internet. Then GstarCAD8 succeed to activate, and you can bring you computer to other place you want. However, the quantity of nodes is reduced until the borrowed one is to be returned.

Borrow Network License

Borrow A License(Using Network license Serial Number)

Network license Serial Number: A701-DD07-0000-0100-3695-2901-0000-0400

IP or Server name: 192.168.0.88

Port: default


Expiration date: 2013- 5-21

Borrow Cancel


How to Return License Online

It is better to return the node to server if you do not need it.

1. Click **GstarCAD License Manager**, the following window opens. Then select the license you want to return:



2. Click **Online Return**. Then the following window open:



3. Click **Return**.


How to Return Network License

After you finish the usage of license, the following are the operation steps to return license:


1. You can find the license manager in start




2. Click **GstarCAD License Manager (server)**, you will get the following window:



3. Select **Serial Number** which is going to be return and click **Return/Repair**.




4. You will get **Return/Repair** window. Click **Generate** to get **Activation Cancel File** with “-return.xml” extension



The screenshot shows the 'Return/Repair' dialog box. The 'Return' section has a 'Fulfillment ID' field with the value 'A701-DD07-0000-0100-3695-2901-0000-0400'. To the right of this field is a 'Generate' button, which is highlighted with a red rectangular box. Below the 'Fulfillment ID' field is an empty text box and a 'Browse...' button. To the right of the empty text box are 'Process' and 'Generate' buttons. The 'Repair' section below it has an empty 'Fulfillment ID' field, an empty text box, and 'Browse...', 'Process', and 'Generate' buttons. An 'OK' button is at the bottom right.


5. Send the **Activation Cancel File** which you get from step 4 to your local distributor. You will be given the **Processing File** with the extension -resp-svr-return.xml.

6. Reopen the **License Manager (server)** window. Click **Browse** to input **Processing File** which you get from your local distributor.



The screenshot shows the 'Return/Repair' dialog box. The 'Return' section has a 'Fulfillment ID' field with the value 'A701-DD07-0000-0100-3695-2901-0000-0400'. To the right of this field is a 'Generate' button. Below the 'Fulfillment ID' field is an empty text box and a 'Browse...' button, which is highlighted with a red rectangular box. To the right of the empty text box are 'Process' and 'Generate' buttons. The 'Repair' section below it has an empty 'Fulfillment ID' field, an empty text box, and 'Browse...', 'Process', and 'Generate' buttons. An 'OK' button is at the bottom right.

7. Click **Process** to clean the date in **License Manager (server)**.



The screenshot shows the 'Return/Repair' dialog box. The 'Return' section has a 'Fulfillment ID' field with the value 'A701-DD07-0000-0100-3695-2901-0000-0400'. To the right of this field is a 'Generate' button. Below the 'Fulfillment ID' field is a text box containing '3695-2901-0000-0400-resp-svr-return.xml' and a 'Browse...' button. To the right of this text box is a 'Process' button, which is highlighted with a red rectangular box. The 'Repair' section below it has an empty 'Fulfillment ID' field, an empty text box, and 'Browse...', 'Process', and 'Generate' buttons. An 'OK' button is at the bottom right.

8. Please note that **processing file “-resp-svr-return.xml”** is for clearing the registration information in the workstation which you returned the license. If you want to transfer your license right to another workstation, please generate a new **Application File “.xml”** and send to us.


Activation (Hardware-encryption)

Stand-alone (USB Dongle) Activation

1. Start GstarCAD8 after the installation and insert dongle to USB interface and the **Welcome to GstarCAD** window will pop up, **Select a version** and click **Activate**.



2. Select **Hardware-encryption of Stand-alone**.



3. Click **Next** to activate GstarCAD.

Network (USB Dongle) Activation

Sever Setting


You need to specify server computer and install network driver of the USB dongle. Insert the network dongle to USB interface after the installation of GstarCAD8. The dongle will be recognized automatically.

Client Setting

1. After installing GstarCAD8 and start the software, the **GstarCAD Register** windows opens:



2. Select **Hardware-encryption of Network**.
3. Click **Next** to open **Server IP Address** window and specify the IP address of server machine.



4. Click **OK** to activate GstarCAD.

Meer informatie voor Nederland en België:
www.ideoma.nl
Tel. +31-(0)71-5414455
Email: info@ideoma.nl